

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| -        | 423  | statistic\$5 near3 switch   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:05 |
| -        | 8    | (statistic\$5 near3 switch) with threshold  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:10 |
| -        | 3939 | collect\$3 near3 (count statistical\$2)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:09 |
| -        | 132  | (collect\$3 near3 (count statistical\$2) ) same (LCI switch (line adj card))                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:09 |
| -        | 14   | ((collect\$3 near3 (count statistical\$2) ) same (LCI switch (line adj card))) same threshold | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:18 |
| -        | 4642 | (line adj card) LCI   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:19 |
| -        | 7    | ((line adj card) LCI) same counter) same threshold  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:24 |
| -        | 0    | "crandall, stephan".in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:25 |
| -        | 10   | "wilford, bruce".in.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:25 |
| -        | 2    | "Medved, Jan".in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:26 |
| -        | 127  | ((line adj card) LCI) same counter  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:28 |
| -        | 2104 | (link connect) near3 count  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/01 16:30 |

|   |         |   |   |                  |
|---|---------|---|---|------------------|
| - | 277     | ((link connect) near3 count) same (interface (line adj card) LCI switch)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 08:17 |
| - | 1485877 | (gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:40 |
| - | 1956    | ((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:42 |
| - | 128     | ((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)) same (card interface port switch)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:43 |
| - | 93      | ((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)) same (card interface port switch)) and (@ad < 20000703 @rlad < 20000703)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:43 |
| - | 322093  | (gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:46 |
| - | 1328    | ((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:47 |
| - | 126     | ((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:48 |
| - | 106     | ((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)) and (@ad < 20000703 @rlad < 20000703) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:49 |
| - | 531110  | (gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:47 |
| - | 1641    | ((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:48 |
| - | 141     | ((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:48 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 118 | (((((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)) and (@ad<20000703 @rlad<20000703) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/02 09:49 |
| - | 1   | (logical adj identifier) with interrupt  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:22 |
| - | 2   | ("6539432").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:29 |
| - | 0   | ("(FIFObuffermemory)with(LCI(logicalnear2identifier))").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:30 |
| - | 0   | ("(FIFObuffermemory)with(LCI(logicalnear2identifier))").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:30 |
| - | 0   | (FIFObuffermemory)with(LCI(logicalnear2identifier))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:30 |
| - | 27  | (FIFO buffer memory) with (LCI(logicalnear2identifier))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:30 |
| - | 201 | (FIFO buffer memory) with (LCI (logical near2 identifier))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:31 |
| - | 0   | ((((FIFO buffer memory) with (LCI (logical near2 identifier)))) same interrupt) and (((FIFO buffer memory) with (LCI (logical near2 identifier)))) same counter  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:31 |
| - | 1   | ((((FIFO buffer memory) with (LCI (logical near2 identifier)))) same interrupt   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:32 |
| - | 1   | ((((FIFO buffer memory) with (LCI (logical near2 identifier)))) with counter   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:32 |
| - | 22  | ((((FIFO buffer memory) with (LCI (logical near2 identifier)))) same counter   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 17:34 |

|   |        |   |   |                  |
|---|--------|---|---|------------------|
| - | 464855 | threshold   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 07:24 |
| - | 145897 | threshold with (over above great\$2 equal)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 07:26 |
| - | 41960  | ((threshold with (over above great\$2 equal)) with (under below less\$2))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 07:26 |
| - | 3      | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (line adj card)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:43 |
| - | 1978   | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:42 |
| - | 499    | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) and count\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 07:28 |
| - | 51     | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) with count\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 07:32 |
| - | 49     | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) with count\$3) and (@ad < 20000629 @rlad < 20000629) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:19 |
| - | 24178  | count\$3 with interrupt\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:18 |
| - | 2287   | (count\$3 with interrupt\$3) with (card interface switch)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:19 |
| - | 373    | (count\$3 with interrupt\$3) with (connection)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:22 |
| - | 72     | ((count\$3 with interrupt\$3) with (card interface switch)) with (connection)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:56 |

|   |      |  |   |                  |
|---|------|--|---|------------------|
| - | 4    | ((count\$3 with interrupt\$3) with (card interface switch)) with (connection)) same threshold  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:41 |
| - | 19   | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) same interrupt  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:44 |
| - | 18   | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) same interrupt) and (@ad < 20000629 @rlad < 20000629)         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:44 |
| - | 276  | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:43 |
| - | 5    | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)) same interrupt  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:25 |
| - | 3    | ((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)) same interrupt) and (@ad < 20000629 @rlad < 20000629) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:55 |
| - | 733  | threshold same (count\$3 with interrupt\$3)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:55 |
| - | 133  | (threshold same (count\$3 with interrupt\$3) ) same (card interface switch)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:25 |
| - | 19   | ((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) same (connection statistic)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:56 |
| - | 18   | ((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) same (connection statistic)) and (@ad < 20000629 @rlad < 20000629)       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 09:56 |
| - | 117  | ((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) and (@ad < 20000629 @rlad < 20000629)                                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:17 |
| - | 4259 | (writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:30 |

|   |       |  |   |                  |
|---|-------|--|---|------------------|
| - | 152   | ((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:31 |
| - | 43    | ((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same (card interface switch)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:31 |
| - | 38    | ((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same (card interface switch)) and (@ad < 20000629 @rlad < 20000629)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:31 |
| - | 23278 | (writ\$3 plac\$3 stor\$3 record\$3) near3 (address id identif\$7) with (buffer FIFO)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:30 |
| - | 872   | (writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:30 |
| - | 0     | ((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same ((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:31 |
| - | 783   | ((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)) and (@ad < 20000629 @rlad < 20000629)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:32 |
| - | 21    | ((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)) same interrupt  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 10:31 |
| - | 21    | ((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)) same interrupt) and (@ad < 20000629 @rlad < 20000629)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:25 |
| - | 2     | 5402416.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 11:40 |
| - | 1     | 5402416.pn. and fifo   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/15 11:41 |
| - | 2382  | count adj (cell priority)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:24 |

|   |      |   |   |                  |
|---|------|---|---|------------------|
| - | 2243 | count adj (cell)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:24 |
| - | 42   | count near5 (priority adj b it)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:24 |
| - | 117  | count near5 (loss near (cell packet priority))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:25 |
| - | 27   | (count near5 (loss near (cell packet priority))) and (count adj (cell) )  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:25 |
| - | 12   | (count near5 (loss near (cell packet priority))) same (count adj (cell) )   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:25 |
| - | 11   | ((count near5 (loss near (cell packet priority))) same (count adj (cell) )) and (@ad < 20000629 @rlad < 20000629) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:47 |
| - | 5044 | cell adj loss   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:32 |
| - | 1370 | priority adj bit  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:32 |
| - | 3    | (cell adj loss) with (priority adj bit) with count\$  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:45 |
| - | 2150 | clp   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:46 |
| - | 38   | clp near3 count\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:59 |
| - | 27   | (clp near3 count\$3) and (@ad < 20000629 @rlad < 20000629)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:50 |



|   |      |   |   |                  |
|---|------|---|---|------------------|
| - | 4    | (clp near3 count\$3) with threshold   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 12:56 |
| - | 3    | ((clp near3 count\$3) with threshold) and (@ad < 20000629 @rlad < 20000629)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:17 |
| - | 9915 | (cell adj2 (loss priority)) CLP   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:17 |
| - | 429  | ((cell adj2 (loss priority)) CLP) same threshold  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:19 |
| - | 235  | ((cell adj2 (loss priority)) CLP) with threshold  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:17 |
| - | 39   | ((cell adj2 (loss priority)) CLP) with threshold) same switch   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:20 |
| - | 39   | ((cell adj2 (loss priority)) CLP) with threshold) same switch) and (@ad < 20000629 @rlad < 20000629)                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:20 |
| - | 309  | ((cell adj2 (loss priority)) CLP) with count\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:19 |
| - | 47   | ((cell adj2 (loss priority)) CLP) with count\$3) same threshold   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:19 |
| - | 16   | ((cell adj2 (loss priority)) CLP) with count\$3) same threshold) same switch  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:20 |
| - | 16   | ((cell adj2 (loss priority)) CLP) with count\$3) same threshold) same switch) and (@ad < 20000629 @rlad < 20000629) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/28 13:20 |